

PietraPave

The PietraPave range is exclusively distributed throughout the UK by Bannister Hall, a dedicated and fully integrated supplier of nursery stock and landscaping materials.

Get in touch

For additional information on how we can support your project, please call or email our sales team on:

01772 877087
info@pietrapave.co.uk
sales@bannisterhall.co.uk

Bannister Hall
Landscape Supplies,
Potter Lane, Higher Walton,
Preston, Lancashire PR5 4EN

Opening times:
Mon - Fri 7am - 5.30pm

www.pietrapave.co.uk



PietraPave

**PAVING
REVOLUTION**

Innovative natural stone solution



PietraPave is a revolutionary paving solution that opens boundless opportunities when embarking on a new paving project. We harness the beauty and durability of natural stone and present a simple process that empowers endless creativity. The whole concept enables a new state of mind, a completely fresh approach to pavement design.

Contents

- 01 Introduction
- 02 Overview
- 04 The benefits of PietraPave
- 06 Permeable Paving
- 08 Linear Designs
- 12 Fan Designs
- 14 Circular Designs
- 16 Bespoke Design
- 18 Field Place Manor
- 20 St. Andrews Church
- 22 The Flower Bowl
- 24 Studio City
- 25 Residential
- 26 Paving Made Easy
- 28 Specification
- 29 PietraPoint

OVERVIEW

“PietraPave brings four distinctive benefits to many categories of pavement. It has a large palette of vibrant bespoke design opportunities, its prefabricated nature leads to rapid low-cost installation and being natural stone it can accommodate a vast range of use and abuse. It is accompanied with full pavement section design guidance that boasts a permeable option for a small element natural stone surface. An ideal option for the specifier.”

John Knaption BSc PhD DSc CEng FICE CIHT

The secret of PietraPave

Using the PietraPave system we bond natural stone paving to a robust and durable backing mat. Your paving solution arrives on site as a collection of pre-cut mats that fit together seamlessly, allowing you to maintain a high quality of finish in a fraction of the time.



The pavement design solutions exceed BS7533:7 and BS7533:10 and ensure that PietraPave is fully supported by the underlying layers of the pavement for all ground conditions likely to be encountered and for all types of use; pedestrian areas to heavily trafficked roads. From an engineering perspective the important part of the PietraPave system is the resin based jointing material. It has high strength to provide excellent stability whilst at the same time remaining flexible so the pavement does not crack. The finished PietraPave surface has similar engineering properties to the long-life asphalts now used to surface UK motorway carriageways.

For further information on the design tables available please email info@pietrapave.co.uk with your request




Revolutionary system

Pre-cut into an extensive range of laying patterns and solidly bonded to a robust and durable backing mat.

“We were delighted with the outcome and it has certainly enhanced the appearance of the property in terms of kerb appeal and also value. PietraPave is a very cost effective and innovative product that I would recommend to any of our clients seeking to improve their property”

Alistair Baines, Cassidy Ashton Architects



Bespoke design

For more ambitious design projects, our bespoke CAD service allows you to take paving design to the limits of your imagination. The PietraPave system can translate even the most intricate design from the drawing board to the ground quickly, accurately and with stunning results.




Paving collections


There is a vast array of designs – from the stunningly simple to the impressively intricate. Mix and match to complement.




Shambles



Striding edge



European fan



Modena

THE BENEFITS OF PIETRAPAVE

When it comes to attracting attention and creating an emotional response, few other landscaping choices make quite the same impact as natural stone paving. PietraPave offers a real and desirable alternative to other paving solutions. These include the system's bespoke capabilities, enabling intricate designs to be completed, speed of installation and the quality and long-term performance of the materials.

The PietraPave installation process might be new to you, but it couldn't be easier!

Each pre-designed mat is laid onto a prepared screed and then compacted down to the desirable levels. Grouting is equally fuss-free with PietraPoint mortar resin jointing compound.



Quick

The quality we've come to expect from natural stone is second to none. PietraPave delivers this in up to a quarter of the installation time.

80%

quicker installation than traditional stone sett

Whilst many people love the originality and beauty of natural stone, it is never easy to install a stone sett paved area of any complexity for a reasonable cost. PietraPave changes the whole process, making the installation quick and easy enough for any competent installer to complete with stunning results.



Simple

Cost-effective

Labour costs are significantly reduced when using PietraPave making it a very affordable high-end paving solution.

-50%

cost per fully laid square metre when compared to traditional method

Although PietraPave promises to save time and money this really does come with no compromise. PietraPave maintains all the impact of real stone paving, ensuring quality of the highest standard.

"It looks absolutely amazing, far better than I envisaged. It was so straight forward to put down, the installation flowed easily. It was much quicker to lay than we could have ever imagined, the amount labour saved kept us well within the budget. Definitely something I would use again."

Paul Kenworthy,
Landscape Contractor

Innovative

PietraPave is a revolutionary paving solution. Independent test results show it performs well above British standards in a wide range of pavement applications.

This includes a permeable paving solution utilising natural stone.

The strong link between the design process and the finished installation allows a pavement designer unparalleled creative freedom, the possibilities are endless! PietraPave is also ideally suited for a roof top paving option, areas which are increasingly used as an amenity or as an environmentally beneficial space.



NATURAL STONE PERMEABLE PAVING



As our climate continues to change the focus turns to an increasing need for a permeable paving solution.

We have invested heavily in developing PietraPerm, a fabulous SUDs compliant product which offers a totally new permeable paving option. Whilst there are other similar products on the market, we believe only PietraPerm achieves these objectives whilst still using natural stone.

Please visit our website www.pietrapave.co.uk to learn more and see the video on our permeable PietraPave system. For our data on SuDS compliance and to request our engineering design tables please email info@pietrapave.co.uk



How does PietraPerm work? Build-up is as follows:

Excavate to a depth of 230mm
Compact 100mm depth of reduced fines MOT
Add a 50mm layer of clean 14-20mm limestone
Form a 50mm bedding layer with a screed of 2-6mm gravel
Lay the PietraPerm mats in the usual way on the prepared screed allowing for 3-5mm of compaction to finished levels.
Compact the PietraPerm area with a vibrating plate fitted with a rubber mat to protect the paving.
Fill the joints with PietraPerm jointing compound as per the instructions and protect from rainfall until the joints have set.

The above recommendation is suitable for pedestrian and domestic driveway usage on firm ground. Details for much heavier applications and revisions for softer ground are all available on request.

'As with all permeable pavements, some occasional maintenance may be required to keep the drainage paths through the material free from clogging. The surface should be inspected on an annual basis and if there is evidence of clogging, a low pressure cleaning regime should be carried out. Normally, this would be expected at between 7 and 10 years. On sites where vehicles introduce detritus onto the surface and heavily used car parks may require more frequent cleaning. There are well-established cleaning methods all of which include low-pressure water jetting in conjunction with a vacuum being applied, sometimes with detergent. High pressure cleaning should be avoided as this can exacerbate the problem in low lying areas.'

PietraPerm is the permeable option for your paving with all the fabulous benefits of PietraPave. This will ensure you can enjoy beautiful natural stone on a flexible matting together with the opportunity to have your own unique design realised in this top quality labour-saving format.



Surface water percolates through the joints and soaks away into the permeable sub-base.



Tested for strength with a 4 tonne forklift with very hard tyres (very high point load) driven on and manoeuvred across the area of paving – no deflection at all. Lateral strength proven with directional changes whilst on the paving.



Video of forklift being driven on the paving can be seen at www.pietrapave.co.uk

PietraPerm sets are bonded to a different mesh system to standard PietraPave but they are designed to be laid very quickly in the same manner.

LINEAR DESIGNS

Taking inspiration from both traditional and contemporary paving design, PietraPave boasts a variety of styles, textures and colours to create contrast or complement any scheme, equally impressive in a shopping precinct or at home on the driveway



ARNHEM
Dutch style herringbone pattern. Dark red porphyry which has splashes of white quartz
Single mat dimensions:
L 1012 x W 876 x D 30mm
Area: 0.89m²
Finish: Sawn & flamed




TROVER
4 sizes of granite sett mixed along each course with a weathered top and sawn edge.
Single mat dimensions:
L 700 x W 400 x D 30mm
Area: 0.28m²
Finish: Natural split & tumbled



TROVER MULTI
Using 2 shades of grey and a black granite in 4 mixed sizes along each course to help catch the eye.
Single mat dimensions:
L 700 x W 400 x D 30mm
Area: 0.28m²
Finish: Natural split & tumbled



NATURAL SPLIT
Square grid pattern. Heavily textured natural split finish, great for rustic schemes or creating contrast.
Single mat dimensions:
L 500 x W 500 x D 30mm
Area: 0.25m²
Finish: Natural split




MODENA GREY
4 sizes of granite sett mixed along each course. An even flamed finish that is modern and elegant.
Single mat dimensions:
L 680 x W 490 x D 30mm
Area: 0.33m²
Finish: Sawn & flamed



MODENA GOLD
Linear pattern with mixed sized Granite setts in a rich coppery golden colour.
Single mat dimensions:
L 680 x W 490 x D 30mm
Area: 0.33m²
Finish: Sawn & flamed




STRIDING EDGE MULTI
2 shades of grey and a black granite mixed through the half bond pattern with stunning effect
Single mat dimensions:
L 540 x W 390 x D 30mm
Area: 0.21m²
Finish: Sawn & flamed



STRIDING EDGE SILVER
A half bond pattern using square silver grey granite setts that's bright and uplifting.
Single mat dimensions:
L 540 x W 390 x D 30mm
Area: 0.21m²
Finish: Sawn & flamed



STRIDING EDGE
A half bond pattern using square, dark grey granite setts with a flamed finish. Simple and very stylish
Single mat dimensions:
L 540 x W 390 x D 30mm
Area: 0.21m²
Finish: Sawn & flamed




PietraPave is very versatile. The mats can be trimmed with just a knife to create stunning edge detail. Any of the designs can be adjusted via the bespoke service accommodating a change of colour or laying pattern. Even the size and finish of the stone can be tailor-made to meet the vision.



Striding Edge – Uniform and truly universal adding an understated elegance wherever it is employed. Designer: Juliet Sargeant



Arnhem – Celebrate paving heritage with classic Dutch style, long narrow pavers in a Herringbone pattern. PC Landscapes, Farnham



Modena – This mix of larger sized sets makes a big statement, well suited to modern schemes or equally at home with traditional back drop. Urban Landscapes, Cheshire


Striding Edge – Back to New, Blackpool



Natural Split – A bold statement with the juxtaposition of heavy texture against the sleek finish of building



Trover – Find traditional charm with the aged appearance of a tumbled finish. Bedrock Landscapes, Preston



Striding Edge – Effortless paving detail, full mats are trimmed with a knife to create a double border and a single line inlay from JP Landscapes, Cheshire.

FAN DESIGNS

Traditional European fans add a touch of continental flare to any scheme and for something different, create intrigue with the totally irregular shapes of ‘Shambles’



SILVERMIST
Florentine style fan shaped mat in silver granite with highly contrasting dark grey border.
Single mat dimensions:
L 750 x W 460 x D 30mm
Area: 0.20m²
Finish: Flamed



FLORENCE
Florentine style fan shaped mat. Mid grey granite colour throughout.
Single mat dimensions:
L 750 x W 460 x D 30mm
Area: 0.20m²
Finish: Flamed



PEARL GREY
Florentine style fan shaped mat in an even mix of silver, dark grey granite and red porphyry.
Single mat dimensions:
L 750 x W 460 x D 30mm
Area: 0.20m²
Finish: Flamed



ROSSO
Florentine style fan shaped mat. A dark red porphyry with a dark grey granite edge detail.
Single mat dimensions:
L 750 x W 460 x D 30mm
Area: 0.20m²
Finish: Flamed



SHAMBLES MULTI
Irregular shaped pieces granite in an even mix of silver, gold granite and red porphyry.
Single mat dimensions:
L 540 x W 540 x D 30mm
Area: 0.25m²
Finish: Flamed



COPPERSTONE
Florentine style fan shaped mat with attractive copper shades and a contrasting dark grey border.
Single mat dimensions:
L 750 x W 460 x D 30mm
Area: 0.20m²
Finish: Flamed



SHAMBLES
An interesting mix of irregular shaped grey granite pieces that fit snugly together.
Single mat dimensions:
L 540 x W 540 x D 30mm
Area: 0.25m²
Finish: Flamed



CIRCULAR DESIGNS

Our off the shelf circular designs will bring a focus to the centre of any project either with a flourish or more understated. Complicated features can be laid with just the same ease.



BULLS EYE MULTI

Concentric rings of Silver, Grey and gold granite with a dark red porphyry for a vibrant colourful display.
Diameter: 3.2m Depth: 30mm



EIGHT POINT COMPASS

Predominantly green porphyry with details picked out in other colours. A great stand alone feature.
Diameter: 2.65m Depth: 30mm



FLOWER MOSAIC

An intricate floral design, carefully depicted with small pieces of granite with a real artisan feel.
Diameter: 3.2m Depth: 30mm



BULLS EYE GREY MIX

Three shades of grey granite for a more understated focal point that retains a strong visual interest.
Diameter: 3.2m Depth: 30mm



LA CIRCLE

A unique modern twist, dark grey granite with a gradual pixilation through to a silver grey granite centre
Diameter: 3.2m Depth: 30mm



LABYRINTH

A Chartres Labyrinth that can take you on a journey to its centre. A design that really engages with the user.
Diameter: 3.2m Depth: 30mm




TWO TONE HALO

A great way to unite silver and dark grey granite, a simple combination generating a bright uplifting centre.
Diameter: 3.2m Depth: 30mm



SILVER GREY

Use to complement or contrast with its surroundings, a single colour circle brings a feeling of spaciousness.
Diameter: 3.2m Depth: 30mm



DARK GREY



Either as an isolated feature or within a larger paving scheme, it's easy to incorporate a strong geometric shape.
Diameter: 3.2m Depth: 30mm

BESPOKE DESIGN

For more ambitious design projects, our bespoke CAD service allows you to take paving design to the limits of your imagination. The PietraPave system can translate even the most intricate design from the drawing board to the ground quickly, accurately and with stunning results.

FLOWER BOWL

The visually striking statements of the architecture were confidently transferred to the Landscape design and faithfully recreated in natural stone. We can work directly with a clients design or we can take your inspiration and help develop it through to a finished project. Project Artist' for the flower design: Christopher Tipping



ST PETERS CHURCH

With the design approved, project commissioned, production complete, this scheme is imminently due to be installed. The team at the London Borough of Southwark have worked tirelessly to bring this prestigious project together. We have assisted throughout the design process from the initial concept to final draft accommodating several tweaks along the way. With each amendment and notably the economies involved, the diameter has gradually grown from 6.70m to 11.60m with four additional entry pathways. Designer: Elizabeth Innemee with support from the London Borough of Southwark



Seeing is believing

FIELD PLACE MANOR

A MARRIAGE MADE IN HEAVEN

Award winning garden designer, Juliet Sargeant, chooses PietraPave for her latest commission to create a wedding garden centrepiece.

Juliet Sargeant has recently been commissioned by Field Place Manor House in Sussex to create a stunning wedding garden for the hotel as part of their on-going restoration.

As part of the centre-piece Juliet chose to incorporate a stone labyrinth. The history of labyrinths is complex, ancient and mysterious. Used to trap the Greek Minotaur to confuse bad spirits and for Christian devotion, the pattern of labyrinths has long held a fascination for many cultures.

The Field Place labyrinth was created using the bespoke design service offered by PietraPave. The labyrinth design was created 'off site' with each sett sized and carefully positioned before being bonded to a backing mat. The mats were then packed in order and transported to site. Laying the mats minimised the installation time and disruption whilst the garden was being created.

Field Place Manor House are delighted with their wedding garden - as are many of their happy couples, enjoying the venue for their special day. PietraPave are understandably delighted to be a part of such a beautiful setting.



“The labyrinth forms the heart of a garden that I hope will lift your spirits.”

Juliet Sargeant, Designer

ST ANDREW'S CHURCH

PIETRAPAVE ANSWERS CHURCH'S PRAYERS

Transforming a wasteland area within the Church grounds with new focal point for community events and to provide an outdoor area for Sunday school.

The symbolic design of the Chartres Labyrinth was chosen and consultation with the contractor of how to implement within budget began.

PietraPave was initially considered as an option because the intricacy of the design could be met using a natural stone. The speed of installation keeps labour costs to a minimum, something other solutions couldn't provide. The design process continued and following the selection of the colours and final finish of the stone, the 6.2m diameter Labyrinth went into production.

On arrival to site the ground was prepared ready to receive the PietraPave mats. The crates all carefully labelled so the design can very easily be reconstructed directly onto the ground. The first mat was ceremoniously laid at 12.30pm, with the final mat laid before 5pm the same afternoon. Over 30m² of setts laid with tremendous accuracy to a bespoke design in only four and a half hours.

Following completion the revitalised area has been welcomed by all attracting a lot of attention from the congregation of the church and wider community, even the local media is showing an interest.




"It looks absolutely amazing, far better than I envisaged. It was so straight forward to put down, the installation flowed easily. It was much quicker to lay than we could have ever imagined. Definitely something I would use again."

Paul Kenworthy, Landscaping Contractor.

THE FLOWER BOWL

A GRAND ENTRANCE IN FULL BLOOM

The Barton Grange Flower Bowl is an innovative multi-use leisure destination. With Barton Grange's long association with plants, trees and especially flowers the bespoke design created a focal point for the main entrance.



Christopher Tipping, Project Artist

The Flower Bowl project highlights how the creative ability of the designer can be faithfully recreated in natural stone without compromise and within budget. The stunning focal point brought to life for the main entrance of this new exciting venture matched exactly with the huge abstract floral designs on the side of this inspirational contemporary building. This is another project we are proud to have been involved with.

Our bespoke service is capable of producing an amazing array of work including the Flower Bowls' flawless stone mosaic. Each mat within this seven-metre diameter circle arrives prenumbered thus making the installation process extremely simple to execute. This special service is offered alongside our stock range of tessellating design options that are equally suited to both large streetscapes and more confined areas.



"The PietraPave flower looks fantastic, the natural stone matches the high quality materials used throughout the Barton Grange Flower Bowl. Overall, I am absolutely delighted with the quality of the bespoke design, especially the quality of the finish. It's amazing how the detail of the wall mural has been translated into the paving. The project boasts so many unique features and attractions, it was a real bonus to discover PietraPave and continue this pioneering theme in the paving at the main entrance. The results far surpassed my expectations, it's a paving master piece for all to see."

Peter Topping –Director,
The Barton Grange Flower Bowl Entertainment Centre



STUDIO CITY

A STARING ROLE IN A NEW FILM STUDIO

For the new luxury Las Vegas-style Studio City entertainment resort in China, developers demanded not only decadence but also the highest attention to detail.

The natural stone paving was laid at Wuxi Film Studio, a new 'movie city' in China that features worldclass film production facilities as well as entertainment, retail and dining districts. Installation of the high-quality, flame-finished setts, each made up of hand cut stone segments prefixed to a mesh base, across an area equivalent to six tennis courts, was completed in 90 days. Using an alternative paving solution would have added at least a

further 30 days to the installation – substantially increasing labour costs and delaying subsequent construction works. These cost- and time-saving qualities are what make PietraPave so appealing to major refurbishment and new build projects in the UK – delivering a wide range of longlasting paving solutions tailored to meet the design requirements of each site and client in a fraction of the time and expense of other stone products.



RESIDENTIAL DRIVEWAY

A BESPOKE COMPASS COMPLETED ON POINT

PietraPave demonstrated its versatility, ease and speed of installation during a challenging domestic driveway project.

Having settled on a 2.4m compass design for the centre of the driveway, the client requested a bespoke extension to broaden the circular feature as well as a bespoke matching border.

Bannister Hall supplied installers Bedrock Landscapes with the compass paving kit as well as 40m² of Modena and 60m² of dark grey Modena paving to meet these requirements.

The one-off, pre-assembled PietraPave system provided was delivered to the driveway in Chorley, Lancashire, complete with installation plans and numbered sections, significantly reducing the installation time when compared to using a conventional natural stone paving solution.



“A bespoke stone project like this would normally take us weeks, but as it was so incredibly simple to use it took us just eight hours to complete. To test its strength the customer drove a 10 tonne lorry over it and there wasn’t a millimetre of movement. It’s a great product.”

Jason Gooch, from Bedrock Landscapes

PAVING MADE EASY

The PietraPave installation process makes the laying of even the most large and complex natural stone projects as quick and simple as possible. There are a number of essential steps to follow to ensure every project is completed to the highest standard.

PietraPave can accommodate a vast range of use from pedestrian areas to heavily trafficked roads. We offer full pavement section design guidance for specifiers in line with BS7533:7 and BS7533:10 that also takes into account the engineering properties of PietraPave.

A one-hour PietraPave installation could take as long as 10 hours to complete with other systems. This additional time comes at a cost. We have found that PietraPave's rapid installation significantly reduces project costs – typically less than half that of a traditional equivalent.

PietraPave can be laid to the highest standards at a comfortable rate of 16 square metres per hour with just two operatives. Using an alternative natural stone system – requiring experienced stone paving installers and time-consuming on-site stone cutting and placement – substantially increases installation time.

So when the end client wants their paving project completed to the highest standards and as quickly as possible – minimising disruption to the public, their customers, their employees and so on – there really is no better solution than PietraPave.



1

2

3

4

5

6

7

8

GROUNDWORK

Pedestrian & domestic driveway
Excavate the ground to the correct depth, allowing for; minimum 150mm of Type 1 sub base, 40mm of zone 2 grit sand and also for the thickness of the paving (30mm)

Vehicles up to 7.5 tonne
Excavate the ground to the correct depth, allowing for; minimum 300mm of Type 1 sub base, 40mm of zone 2 grit sand and also for the thickness of the paving (30mm)

SUB BASE

Compact the sub base fully with a vibrating plate, making sure that there are no voids left in the surface.

BEDDING LAYER

For the bedding layer, screed out the grit sand to a consistent depth of 40mm observing any required falls

EDGING

Before laying commences, ensure all edge restraints are installed and haunched with concrete.

LAYING MATS

Commence laying of PietraPave mats in your preferred pattern, whilst maintaining a consistent joint width throughout.

For more intricate designs, each hand-crafted pre-cut mat will be numbered, further simplifying the installation process.

BORDERS

Complete laying of paving, cutting the mats where required to create uniform borders where necessary.

COMPACT

Using a vibrating plate with a rubber mat, compact the paving into the bedding layer to achieve finished levels.

JOINT FILLING

Fill in the paving joints with PietraPoint, as described on the joint filling data sheet.

For larger projects receiving heavy traffic there are variations on the groundwork preparations and PietraPoint product required

SPECIFICATION

A comprehensive product testing program has been carried out by AECOM the largest engineering consulting company, with world-class expertise in pavement engineering, at their Nottingham pavement engineering laboratory.

"The Report provides comprehensive design solutions for PietraPave and Permeable Pavements. The guidance is based upon many inputs as the report explains including, most importantly, the author's 20 years experience of the successful use of permeable pavements in many categories of pavements. From an engineering perspective the important part of the PietraPave system is the resin based jointing material. It has high strength to provide excellent stability whilst at the same time remaining flexible so the pavement does not crack. The finished PietraPave surface has similar engineering properties to the long-life asphalts now used to surface UK motorway carriageways."

John Knapton BSc PhD DSc CEng FICE CIHT

Properly installed PietraPave acts as an excellent flexible pavement surface material which has long life and high strength. The testing mentioned above included permeability and the subsequent design guidance provides for both conventional pavements and also permeable pavements where Sustainable Drainage Solutions are required. Full pavement section design guidance in line with BS7533:7 and BS7533:10 is available on request.

Sample Reference	Date of Test	Thickness (mm)	Channel Size	Flow Rate (l/s)	Flow Rate (l/min)	Flow Rate (l/h)	Flow Rate (l/d)
100000	10/10	100	100	0.001	0.06	1.8	43.2
100001	10/10	100	100	0.001	0.06	1.8	43.2

Example Permeability Testing

Cost savings with PietraPave

This case study is an illustrative example of how PietraPave can bring true cost savings to your design project and the natural stone market does not need to be restricted by a 20:80 product: installation cost ratio.

For an area 6x4m ² = 24m ²	Paving Cost	Jointing Cost	Labour Cost including jointing	Total Cost
Granite Setts 100x100x50mm (81 per m ² @ £0.45 each) 1944 individual setts Speed of laying 0.75m ² per hour	1944x£0.45 £874.80	24 x £4.71 £113.04	£1,872*	£2,859.84
% breakdown of product and installation cost		35%	65%	
Striding Edge 5 striding Edge for 1m ² 120 mats laid within Installation costs 1.5 hours x 2 men 9 units of jointing at 4 hours x 2 men	£1,038	Already Included in paving cost	Laying £75** Jointing £208 Total £283	£1,321
% breakdown of product and installation cost		79%	21%	

Prices exclude VAT
 * Assuming labour cost at £78 per hour for a 3 man team and at an installation rate of 0.75m² per hour as per quoted in ProLandscape Costs for Laying Paving Materials (March 2012)
 ** Assuming PietraPave installation rate of 16m² per hour (Based on circle installation 8.05m² at 15 laying and preparation, total 35 minutes)

PietraPoint

The two part epoxy resin system is easily mixed and quickly applied as a slurry to dampened paving. The great advantage of our formulation is increased water tolerance which enables use in damp weather and light rain.

Key attributes

Its high performance means that it is used widely for domestic and commercial projects where medium traffic loading is required and when laid in times of inclement weather.

- Two part epoxy resin based mortar system, cement free
- Medium to heavy traffic loads, ideal for driveways & high traffic areas
- Fast application
- Easy: No more bending or kneeling and much less effort
- Applied to wet surfaces plus increased water tolerance
- Professional results: no mess, and no returning for cleaning
- Self compacting & suitable for joint widths from 5mm upwards
- Weed, pressure washer and frost resistant
- Colours available: Neutral (buff), Mid-Grey and Black

PietraPoint is an integral part of the PietraPave system ideally suited to filling joints between small element paving. It is a two part epoxy resin mortar that provides high strength with a low modulus of elasticity and very strong resistance to fatigue.

PietraPoint may highlight the natural colour and texture of the paving. This is only a temporary effect as weathering and foot traffic accelerate its disappearance. The sheen can be minimised by ensuring the paving is adequately prepared and soaked with water prior to application. Please refer to our website for more details.

Colours

